




FAXABLE QUOTE FORM STRAIGHT LEADER PINS




Size	Tolerance	✓	Special Tolerance	Quantity
D =	-.0000 -.0005	<input type="checkbox"/>	or <input type="text"/>	_____
H =	+.000 -.010	<input type="checkbox"/>	or <input type="text"/>	Material _____
T =	+.000 -.005	<input type="checkbox"/>	or <input type="text"/>	Hardness/Heat Treatment _____
PF =	+.0005 -.0000	<input type="checkbox"/>	or <input type="text"/>	Required by _____
PFL =				_____
L =	+.010 -.000	<input type="checkbox"/>		_____

Company: _____
 Address: _____
 City: _____ State/Prov.: _____ Zip/Postal Code: _____
 Phone: _____ Fax: _____ Email: _____
 Contact Name: _____ Reference #: _____




FAXABLE QUOTE FORM BUSHINGS

Shoulder Bushings



Straight Bushings



Size	Tolerance	✓	Quantity	Size	Tolerance	✓
A =	+0.0005 -0.0000		Material	A =	+0.0005 -0.0000	
H =	+0.000 -0.010			B =	+0.0005 -0.0000	
T =	+0.000 -0.005			L =	+0.015 -0.030	
B =	+0.0005 -0.0000		Hardness/Heat Treatment			
L =	+0.015 -0.030					

Required by _____

Company: _____

Address: _____

City: _____ State/Prov.: _____ Zip/Postal Code: _____

Phone: _____ Fax: _____ Email: _____

Contact Name: _____ Reference #: _____