



Coated Abrasives

PSA DISCS & HOLDERS

Strong resin over resin bond construction is resistant to heat & moisture. Premium zirconium grain Egyptian cotton cloth backing. Closed coat structure. Hot melt adhesive back allows for quick change and less downtime.



PSA DISCS



Grit	Catalog Number				
	1"	2"	3"	4"	5"
40	34989	35022	35042	35062	35082
50	34990	35023	35043	35063	35083
80	34992	35025	35045	35065	35085
100	34993	35026	35046	35066	35086
120	34994	35027	35047	35067	35087
150	34995	35028	35048	35068	35088
180	34996	35029	35049	35069	35089
240	34998	35031	35051	35071	35091
320	34999	35033	35053	35073	35093

Note: other sizes available upon request.

PSA DISC HOLDERS

Size	Cat. No.
1" x 1/8 shank	11705
1" x 1/4 shank	95059
2" x 1/4 shank	95061
3" x 1/4 shank	95062
4" x 1/4 shank	95063
5" x 1/4 shank	95064



CLOTH BENCH ROLLS - DA-F HANDY ROLLS

Aluminum oxide grain on high quality DA-F material for high flexibility. Medium tensile strength. Open coat structure prevents loading. Handy dispenser roll allows for lengths to be cut as required. Egyptian cotton backing for durability.



Grit	Catalog Number		
	1"	1-1/2"	2"
50	80505	80506	80520
80	80805	80806	80820
100	81005	81006	81020
120	81205	81206	81220
150	81505	81506	81520
180	81805	81806	81820
240	82405	82406	82420
320	83205	83206	83220
400	83405	83406	83420

PSA STRIPS

Same material as PSA discs, but supplied in 1" x 11" strips. 50/pkg Aluminum oxide resin bonded cloth with PSA back. "Grits 240 thru 400 available in "Glue Bond" which allows strip to be extremely flexible.



Grit	Part No. A/O R/B	Part No. A/O G/B
50	16162	—
80	12227	—
100	12228	—
120	12229	—
150	12230	—
180	12231	—
240	12232	22208
320	12233	22209
400	16686	22210



Coated Abrasives

ALUMINUM OXIDE LAMINATED DISCS

Type 2A



- Aluminum oxide grain
- General purpose, long life
- Easy disc changes by twisting off of backing pad
- For ferrous and/or non-ferrous metals

Type 3A



- Premium aluminum oxide grain with grinding aid
- Cooling agents for cool cutting & longer life
- Fast stock removal
- Easy disc changes by twisting off of backing pad
- For ferrous & non-ferrous metals. Stainless steel, high tensile steel or titanium.



Sait-lok™

All metal attachment on disc ensures a secure fit to the backing pad.



Sait-lok-R™

Nylon screw threaded hub for easy mounting to the backing pad.

Size	Grit	Sait-Lok™ Part no.		Sait-Lok-R™ Part no.		QTY PER BOX
		2A	3A	2A	3A	
1"	36	52208	50208	—	—	100
	40	52209	50209	—	—	100
	50	52210	50210	—	—	100
	60	52211	50211	—	—	100
	80	52212	50212	—	—	100
	100	52213	50213	—	—	100
1-1/2"	120	52214	50214	—	—	100
	36	52215	50215	52264	50264	100
	40	52216	50216	52265	50265	100
	50	52217	50217	52266	50266	100
	60	52218	50218	52267	50267	100
	80	52219	50219	52268	50268	100
2"	100	52220	50220	52269	50269	100
	120	52221	50221	52270	50270	100
	36	52222	50222	52271	50271	100
	40	52223	50223	52272	50272	100
	50	52224	50224	52273	50273	100
	60	52225	50225	52274	50274	100
3"	80	52226	50226	52275	50275	100
	100	52227	50227	52276	50276	100
	120	52228	50228	52277	50277	100
	36	52229	50229	52278	50278	50
	40	52230	50230	52279	50279	50
	50	52231	50231	52280	50280	50
3"	60	52232	50232	52281	50281	50
	80	52233	50233	52282	50282	50
	100	52234	50234	52283	50283	50
	120	52235	50235	52284	50284	50



Note: See page 25 for Backing pads

Tech Info

2-ply construction is rugged enough for contoured or flat surfaces.



Coated Abrasives

ZIRCONIUM LAMINATED DISCS

Type "Z"



- Premium zirconium grain.
- Very fast stock removal.
- Easy disc changes by twisting to unlock backing pad.
- For use on stainless steel, high tensile alloys, ferrous or non-ferrous metals (such as iron, steel, welds, etc).

Type 3Z



- Premium zirconium grain with grinding aid.
- Cooling agents for cool cutting & long life.
- Very fast stock removal, no discoloration.
- Easy disc changes by twisting to unlock backing pad.
- For use on stainless steel, high tensile alloys, ferrous or non-ferrous metals.



Size	Grit	Sait-Lok™ Part no.		Sait-Lok-R™ Part no.		QTY PER BOX
		Z	3Z	Z	3Z	
1-1/2"	36	55215	56215	55264	56264	100
	40	55216	56216	55265	56265	100
	50	55217	56217	55266	56266	100
	60	55218	56218	55267	56267	100
	80	55219	56219	55268	56268	100
2"	24	55221	-	55270	-	100
	36	55222	56222	55271	56271	100
	40	55223	56223	55272	56272	100
	50	55224	56224	55273	56276	100
	60	55225	56225	55274	56274	100
	80	55226	56226	55275	56275	100
3"		55228	-	55277	-	50
	36	55229	56229	55278	56278	50
	40	55230	56230	55279	56279	50
	50	55231	56231	55280	56280	50
	60	55232	56232	55281	56281	50
	80	55233	56233	55282	56282	50

Tech Info

2-ply construction is rugged enough for contoured or flat surfaces. Quick change backings make for fast, easy disc changes and lessdown time. Universal backings fit most major backing pad brands.

BACKING PADS FOR LAMINATED DISCS

Sait-lok™

For use with Sait-Lok™ laminated discs for use with discs on page 24/25. Disc twists into metal hub in backing pad for fast/easy changes. 1/4 shanks




Size	Part #
1" medium	95165
1-1/2" hard	95266
1-1/2" medium	95166
2" hard	95267
2" medium	95167
3" hard	95268
3" medium	95168



Sait-lok-R™

For use with Sait-Lok-R™ laminated discs for use with discs on page 24/25. Nylon threaded hub of disc twists into backing pad for secure fit. 1/4 shanks



Size	Part #
1-1/2" medium	95171
1-1/2" hard	95271
2" medium	95172
2" hard	95272
3" medium	95173
3" hard	95273

